

# PROMOTION OVEN CHAIN

*June/July/August 2021*

Up to

# 20%

Click here 



OVEN CHAIN PARTS  
FOR MACHINES BRANDED

# SIDEL\*

OVEN CHAIN PARTS  
FOR MACHINES BRANDED

# KRONES\*

Valid until the end of August 2021.

Some conditions apply, contact us for more details.

\*The products presented in this catalog are compatible with Sidel & Krones machines, but are not affiliated with those companies.

# SIDEL\* S2

Special Price

Regular Price

253.76\$

317.20\$

Oven chain



28.52-411.88\$

34.22-494.26\$

Rebuilt kit chain link



45.76\$

57.20\$

Pinion



14.14\$

17.68\$

Ejector



66.56\$

83.20\$

Spindle tip



Guide



Guide

2 334,28\$

2746.21\$

Turnover cam



# SIDEL\* UNIVERSAL

Special Price

Regular Price

228.80\$

286.00\$

Oven chain



49.71-158.41\$

62.14-198.02\$

Rebuilt kit chain link



45.76\$

57.20\$

Pinion



14.14\$

17.68\$

Ejector



66.56\$

83.20\$

Spindle tip



Guide



Click on this logo for more information

US \$

US \$

# KRONES\* C2

Regular  
Price

Special  
Price



Oven chain



351.52\$

281.22\$



Rebuilt kit chain link



46.54\$

37.23\$



Spindle



145.60\$

116.48\$



Rebuilt kit spindle



53.04\$

42.43\$



Cooling sheild



37.44\$

29.95\$



Spindle tip/Gripper



88.40\$

70.72\$

US \$

# KRONES\* C3

Regular  
Price

Special  
Price



Oven chain



351.52\$

281.22\$



Rebuilt kit chain link



49.40\$

39.52\$



Spindle



144,56\$

115.65\$



Rebuilt kit spindle



41.60\$

32.15\$



Cooling sheild



37.44\$

29.95\$



Spindle tip/Gripper



88.40\$

70.72\$

US \$

# OVEN CHAIN S2



## Benefits

- OEM equivalent, high quality
- Fully inspected unit and pitch
- Plug and play unit
- All combinations are available with personalized rebuilt kits
- Fully compatible with OEM components

| UM #            | Description                                                                                 | Known OEM Equivalent Number                                                         | Technical Data Sheet |
|-----------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------|
| UMS-OC-S2-QC    | Oven chain link S2 quick change (pitch 50 mm)                                               | 01111316401 to 06,<br>01111316501 to 03,<br>01111316601 to 03,<br>01072508001 to 12 |                      |
| UMS-OC-S2-NQC   | Oven chain link S2 none quick change                                                        | 01118338601 to 03<br>01118342701 to 06                                              |                      |
| UMS-OC-S2-QC-V  | Oven chain link S2 quick change, « V » track roller/guided spindle pitch (pitch 50 mm)      | 01143730301                                                                         |                      |
| UMS-OC-S2-NQC-V | Oven chain link S2 none quick change, « V » track roller/guided spindle pitch (pitch 50 mm) |                                                                                     |                      |

## Rebuilt parts



Oven chain rebuilt parts  
UMS-99000031524



Oven chain rebuilt parts  
UMS-OC-S2-KR2



Oven chain rebuilt parts  
UMS-99000437791



Oven chain rebuilt parts  
UMS-99000438017



Oven chain rebuilt parts  
UMS-OC-S2-KR



Oven chain rebuilt parts  
UMS-OC-S2-KR3

## Standard components



Pinion









Chain assembly with rivet  
UMS-01135661503




# OVEN CHAIN S2


## Rebuilt parts & Standard components



| UM #            | Description | Known OEM Equivalent Number | Technical Data Sheet                                                                  | UM #             | Description                    | Known OEM Equivalent Number                 | Technical Data Sheet                                                                  |
|-----------------|-------------|-----------------------------|---------------------------------------------------------------------------------------|------------------|--------------------------------|---------------------------------------------|---------------------------------------------------------------------------------------|
| UMS-99000031524 | Rebuilt kit | 99000031524                 |  | UMS-01118342801M | Upper pinion quick change      | 01118342801, 01111316301, 01142455601 to 02 |  |
| UMS-99000438017 | Rebuilt kit | 99000438017                 |  | UMS-01118342901M | Lower pinion quick change      | 01118342901, 01111316201, 01142455501 to 02 |  |
| UMS-99000437791 | Rebuilt kit | 99000437791                 |  | UMS-01126903903M | Upper pinon none quick change  | 01126903901 to 03                           |  |
| UMS-OC-S2-KR    | Rebuilt kit |                             |  | UMS-01126903803M | Lower pinion none quick change | 01126903801 to 03                           |  |
| UMS-OC-S2-KR2   | Rebuilt kit |                             |  | UMS-01136600905M | Upper pinion none quick change | 01136600901 to 05                           |  |
| UMS-OC-S2-KR3   | Rebuilt kit |                             |  | UMS-01136600805M | Lower pinion none quick change | 01136600801 to 05                           |  |

|                 | Regular Price | Special Price |
|-----------------|---------------|---------------|
| UMS-99000031524 | 85.80\$US     | 71.50\$US     |
| UMS-99000438017 | 494.26\$US    | 411.88\$US    |
| UMS-99000437791 | 34.22\$US     | 28.52\$US     |
| UMS-OC-S2-KR    | 245.96\$US    | 204.96\$US    |
| UMS-OC-S2-KR2   | 98.28\$US     | 81.90\$US     |
| UMS-OC-S2-KR3   | 62.19\$US     | 51.82\$US     |

|                  |                           |                   |                                                                                       |
|------------------|---------------------------|-------------------|---------------------------------------------------------------------------------------|
| UMS-01135991901M | Lower pinion quick change | 01135991901       |  |
| UMS-01135992101M | Upper pinion quick change | 01135992101       |  |
| UMS-01139999402M | Lower pinion              | 01139999401 to 02 |  |
| UMS-01139999302M | Upper pinion              | 01139999301 to 02 |  |



# UNIVERSAL OVEN CHAIN



## Benefits

- OEM equivalent, high quality
- Fully inspected unit and pitch
- Plug and play unit
- All combinations are available with personalized rebuilt kits
- Fully compatible with OEM components

| UM #                | Description                                                                                  | Known OEM Equivalent Number            | Technical Data Sheet |
|---------------------|----------------------------------------------------------------------------------------------|----------------------------------------|----------------------|
| UMS-OC-UN-QC        | Quick change<br>Pitch 50 mm                                                                  | 01125560801 to 15                      |                      |
| UMS-OC-UN-QC-V      | Quick change with « V » track roller/guided spindle pitch<br>Pitch 50 mm<br>Pitch 50 mm      | 01129524501 to 08<br>01136624801 to 06 |                      |
| UMS-OC-UN-NQC       | None quick change<br>Pitch 50 mm                                                             | 01125579301 to 10                      |                      |
| UMS-OC-UN-NQC-V     | None quick change with « V » track roller/guided spindle pitch<br>Pitch 50 mm<br>Pitch 50 mm | 01129877201 to 06<br>01129876707 to 09 |                      |
| UMS-OC-UN-QC-P40    | Quick change<br>Pitch 40 mm                                                                  | 01125550301 to 10                      |                      |
| UMS-OC-UN-QC-P40-V  | Quick change with « V » track roller/guided spindle pitch<br>Pitch 40 mm                     |                                        |                      |
| UMS-OC-UN-NQC-P40   | None quick change<br>Pitch 40 mm                                                             | 01125516401 to 13                      |                      |
| UMS-OC-UN-NQC-P40-V | None quick change with « V » track roller/guided spindle pitch<br>Pitch 40 mm<br>Pitch 40 mm | 01126747804 to 10<br>01126739211 to 14 |                      |

## Rebuilt parts



Oven chain rebuilt parts  
UMS-OC-UN-P40-KR  
UMS-OC-UN-P50-KR



Oven chain rebuilt parts  
UMS-OC-UN-SP-KR



Oven chain rebuilt parts  
UMS-OC-UN-P40-V-KR  
UMS-OC-UN-P50-V-KR



Oven chain rebuilt parts  
UMS-OC-UN-V-SP-KR

## Standard components






Pinion



# UNIVERSAL OVEN CHAIN

## Rebuilt parts & Standard components




| UM #               | Description   | Known OEM Equivalent Number | Technical Data Sheet                                                                  | UM #             | Description                    | Known OEM Equivalent Number                 | Technical Data Sheet                                                                  |
|--------------------|---------------|-----------------------------|---------------------------------------------------------------------------------------|------------------|--------------------------------|---------------------------------------------|---------------------------------------------------------------------------------------|
| UMS-OC-UN-P50-KR   | Rebuilt kit   |                             |  | UMS-01118342801M | Upper pinion quick change      | 01118342801, 01111316301, 01142455601 to 02 |  |
| UMS-OC-UN-P40-KR   | Rebuilt kit   |                             |  | UMS-01118342901M | Lower pinion quick change      | 01118342901, 01111316201, 01142455501 to 02 |  |
| UMS-OC-UN-SP-KR    | Rebuilt kit   |                             |  | UMS-01126903903M | Upper pinon none quick change  | 01126903901 to 03                           |  |
| UMS-OC-UN-P50-V-KR | Rebuilt kit   |                             |  | UMS-01126903803M | Lower pinion none quick change | 01126903801 to 03                           |  |
| UMS-OC-UN-P40-V-KR | Rebuilt kit   |                             |  | UMS-01136600905M | Upper pinion none quick change | 01136600901 to 05                           |  |
| UMS-OC-UN-V-SP-KR  | Rebuilt kit   |                             |                                                                                       | UMS-01136600805M | Lower pinion none quick change | 01136600801 to 05                           |  |
|                    | Regular Price | Special Price               |                                                                                       | UMS-01135991901M | Lower pinion quick change      | 01135991901                                 |  |
| UMS-OC-UN-P50-KR   | 191.36\$US    | 153.10\$US                  |                                                                                       | UMS-01135992101M | Upper pinion quick change      | 01135992101                                 |  |
| UMS-OC-UN-P40-KR   | 191.36\$US    | 153.10\$US                  |                                                                                       | UMS-01139999402M | Lower pinion                   | 01139999401 to 02                           |  |
| UMS-OC-UN-SP-KR    | 62.14\$US     | 49.71\$US                   |                                                                                       | UMS-01139999302M | Upper pinion                   | 01139999301 to 02                           |  |
| UMS-OC-UN-P50-V-KR | 198.02\$US    | 158.41\$US                  |                                                                                       |                  |                                |                                             |                                                                                       |
| UMS-OC-UN-P40-V-KR | 198.02\$US    | 158.41\$US                  |                                                                                       |                  |                                |                                             |                                                                                       |
| UMS-OC-UN-V-SP-KR  | 68.74\$US     | 54.99\$US                   |                                                                                       |                  |                                |                                             |                                                                                       |




# EJECTOR SIDEL




Form



Option



Specification



UM part #




| NECK  | EJECTOR           |
|-------|-------------------|
| 1881  | UMS-EJ-1881-FF-SS |
| 1810  | UMS-EJ-1810-FF-SS |
| 29/21 | UMS-EJ-2921-FF-SS |
| 29/25 | UMS-EJ-2925-FF-SS |
| 30/25 | UMS-EJ-3025-FF-SS |
| 38    | UMS-EJ-3800-FF-SS |

# SPINDLE TIP SIDEL






Form




FA






FB






FC






FD






FE





FF



FG



FH







# SPINDLE TIP SIDEL



Specification



Option

X1

Blue

X2

Red

X3


Green

X4


Black

UM part #

| NECK  | SPINDLE TIPS      |
|-------|-------------------|
| 1881  | UMS-ST-1881-FF-SS |
| 1810  | UMS-ST-1810-FF-SS |
| 29/21 | UMS-ST-2921-FF-SS |
| 29/25 | UMS-ST-2925-FF-SS |
| 30/25 | UMS-ST-3025-FF-SS |
| 38    | UMS-ST-3800-FF-SS |



# GUIDE & TURNOVER CAM SIDEL



UMS-01071955601

UMS-01071955701

| UM #            | Description      | Known OEM Equivalent Number | Technical Data Sheet                                                                  |
|-----------------|------------------|-----------------------------|---------------------------------------------------------------------------------------|
| UMS-01071955601 | S2 turn over cam | 01071955601                 |  |
| UMS-01071955701 | S2 turn over cam | 01071955701                 |  |

# C2 OVEN CHAIN



## Benefits

Improved solution available  
Decrease spindle change time by **70 %**  
Increase machine global efficiency (by reducing spindle change time)

OEM equivalent, high quality  
Fully inspected unit and pitch  
Plug and play unit  
All combinations are available with personalized rebuilt kits  
Fully compatible with OEM components

## Rebuilt parts



 Rebuilt kit oven chain



 Rebuilt kit oven spindle

## Standard components



 Oven chain link



 Oven spindle



# C2 OVEN CHAIN

## Standard components



| UM #                   | Description                        | Known OEM Equivalent Number | Technical Data Sheet                                                                | UM #              | Description                               | Known OEM Equivalent Number | Technical Data Sheet                                                                |
|------------------------|------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|
| UMKN-0900843176        | C2 oven chain link assy OEM design | 0900843176                  |  | UMKN-0900843176KR | Complete rebuilt parts oven chain link C2 |                             |  |
| UMKN-OVEN-IMP-CHAIN-C2 | Improved C2 oven chain link        | 0900843176                  |  |                   |                                           |                             |                                                                                     |



| UM #            | Description                                          | Known OEM Equivalent Number | Technical Data Sheet                                                                  | UM #              | Description                            | Known OEM Equivalent Number | Technical Data Sheet                                                                  |
|-----------------|------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|-------------------|----------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|
| UMKN-2786327653 | C2 oven spindle with central spacer (height = 22 mm) | 2786327653                  |  | UMKN-2786327653KR | Complete rebuilt parts oven spindle C2 |                             |  |
| UMKN-2786327651 | C2 oven spindle with central spacer (height = 12 mm) | 2786327651                  |  |                   |                                        |                             |                                                                                       |

# C3 OVEN CHAIN



## Benefits

- OEM equivalent, high quality
- Fully inspected unit and pitch
- Plug & play unit
- All combinations are available with personalized rebuilt kits
- Fully compatible with OEM components

## Rebuilt parts



**i** Rebuilt kit oven chain



**i** Rebuilt kit oven spindle

## Standard components



**i** Oven chain link



**i** Oven spindle



# C3 OVEN CHAIN

## Standard components



| UM #            | Description                                  | Known OEM Equivalent Number | Technical Data Sheet | UM #            | Description                                                                | Known OEM Equivalent Number | Technical Data Sheet |
|-----------------|----------------------------------------------|-----------------------------|----------------------|-----------------|----------------------------------------------------------------------------|-----------------------------|----------------------|
| UMKN-0901687271 | C3 oven chain link OEM design<br>Pitch 40 mm | 0901687271, 0-901-68-727-1  |                      | UMKN-0901853942 | C3 oven spindle/for 40 mm pitch link                                       | 0901853942, 0-901-85-394-2  |                      |
| UMKN-0903542009 | C3 oven chain link OEM design<br>Pitch 36 mm | 0903542009, 0-903-54-200-9  |                      | UMKN-0901853946 | C3 oven spindle/for 40 mm pitch link                                       | 0901853946, 0-901-85-394-6  |                      |
| UMKN-0902283441 | C3 oven chain link OEM design<br>Pitch 40 mm | 0902283441, 0-902-28-344-1  |                      | UMKN-0902859955 | C3 oven spindle/for 36 mm pitch link                                       | 0902859955, 0-902-85-995-5  |                      |
|                 |                                              |                             |                      | UMKN-0902860065 | C3 oven spindle/for 36 mm pitch link<br>* 50 mm chain pitch also available | 0902860065, 0-902-86-006-5  |                      |




| UM #              | Description                               | Known OEM Equivalent Number | Technical Data Sheet | UM #              | Description                            | Known OEM Equivalent Number | Technical Data Sheet |
|-------------------|-------------------------------------------|-----------------------------|----------------------|-------------------|----------------------------------------|-----------------------------|----------------------|
| UMKN-0901687271KR | Complete rebuilt parts oven chain link C3 |                             |                      | UMKN-0901853942KR | Complete rebuilt parts oven spindle C3 |                             |                      |
| UMKN-0903542009KR | Complete rebuilt parts oven chain link C3 |                             |                      | UMKN-0901853946KR | Complete rebuilt parts oven spindle C3 |                             |                      |
| UMKN-0902283441KR | Complete rebuilt parts oven chain link C3 |                             |                      | UMKN-0902859955KR | Complete rebuilt parts oven spindle C3 |                             |                      |
|                   |                                           |                             |                      | UMKN-0902860065KR | Complete rebuilt parts oven spindle C3 |                             |                      |

# COOLING SHIELD KRONES




Please select the correct design  
of your actual cooling shield :


FA




**2 identical  
shafts**




FB




**2 different  
shafts**




FC



**2 threaded  
shafts**






Please indicate the following dimensions :



1. The center-to-center dimension between the  
shaft of your cooling shield :

17 mm    29 mm    39 mm    Other size : \_\_\_\_\_



2. The inside diameter of your actual cooling  
shield (mm) ? : \_\_\_\_\_


# SPINDLE TIP / GRIPPER KRONES




Please select the correct design  
of your actual spindle tips :

Please write the tip length :



FA

☐

FB

☐

FC

☐

Tip length : \_\_\_\_\_

# CONTACT INFORMATION

Hubert Pelletier

Exportation specialist

Phone number : 581-985-4116 

Frederic Montminy

Vice President

Phone number : 514-946-2493 

Martin Pelletier

Vice President


Phone number : 514-942-2493 

E-mail

[sales@umallette.com](mailto:sales@umallette.com)

Web site

[www.um-inc.com](http://www.um-inc.com)



We're not the runner up.  
**Simply the best alternative !**



17