



SIDE CATALOG BLOW MOLDER






SECTIONS



 Click on this logo for more information

-  Loading / Transport
-  Oven
-  Universal compact valve
-  Blowing



SECTIONS

Click on the desired section to see the parts available



Blowing

Oven


Oven

Loading / Transport

LOADING / TRANSPORT



Improved mandrel insert
UMSD-03-12984



Improved sealing cartridge
0529-701-40-11



Improved mandrel sleeve
0529-901-10-12



Carriage cam with
improved chamfer
UMSD-036214



OVEN



Benefits

- High efficiency: reduced running cost
- Life 5000+ hours: reduced replacement cost
- Most energy-efficient reflector coating
- Compatible with all machine models
- Clear or ceramic coated
- Clear lamps compatible with external reflectors
- 500W – 2000W

UM #	Description	Known OEM Equivalent Number	Technical Data Sheet
UMSD-64241052	Oven lamp 1000W, 240V	64241052	
UMSD-64242052	Oven lamp, 2000W, 240V	64242052	
UMSD-64242058	Oven lamp, 500W, 240V	64242058	

IMPROVED BLOWING BLOCK



Rebuilt kit
UMS-131938-COMPACTKR



Cover plate blow/
preblow/ recovery
UMS-CPB-COMPACT

Rebuilt parts



Pilot valve
VPU24VDCNO/NC:8590



Cover plate exhaust
UMS-CPE-COMPACT



Blow/preblow/recovery
compact valve
UMS-131938-COMPACT



Exhaust compact valve
UMS-131939-COMPACT

UM #	Description	Known OEM Equivalent Number	Technical Data Sheet
UMSD-BL-VALVE-IMPROVED	Improved blowing block		

BLOWING



Neck ring
UMSD-0023671



Stretch rod (14 mm)
UMSD-03.2420D_14MM



Ejector pin
UMSD-38145